

Data Sheet

We make sure



LIFEBOOK T1010 Style in rotation

Issue: August 2008

Fujitsu Siemens Computers is the leading European IT manufacturer. With a strategic focus on innovative mobility and the dynamic data center, we offer a unique range of products and services from notebooks and desktops to servers and IT infrastructure solutions. Famous German engineering and exceptional in-house quality testing capabilities in our test centers ensure extraordinary product quality and reliability across all product lines.

LIFEBOOK T1010

The LIFEBOOK T1010 combines style and functionality. The brilliant 13.3-inch TFT display with passive digitizer guarantees comfortable working whatever the application. Enjoy the advantages of flexible pen-based entries, such as automatic handwriting recognition and many other special features that only a Convertible Notebook can offer. Special covers ensure that not only your presentations look unique but also your LIFEBOOK T1010. Integrated WLAN and Bluetooth give you the freedom you need for effective and efficient working.

Pen-based work with style

Show that you have taste without having to do without comfortable, pen-based working.

- Top-quality design, an individual cover, bi-directional rotateable, tiltable 13.3-inch display, passive digitizer

Ultimate connectivity

Improved and structured information exchange: anytime, anywhere

- ConfCamera, WLAN, Bluetooth, Port Replicator (optional)

Clear benefits

No more duplicating notes. For effective and productive work.

- Tablet functions, fingertouch-sensitive display, pen-based software



Components

Processor	Intel® Celeron® M M585 (2.16 GHz), 1 MB, 667 MHz Intel® Core™2 Duo P8400 (2.26 GHz), 3 MB, 1066 MHz
Memory modules	2 GB (1 x 2 GB, DDR3), 1066 MHz 1 GB (1 x 1 GB, DDR3), 1066 MHz
Hard disk drives (internal)	320 GB, 5400 rpm, SATA, 2.5 -inch S.M.A.R.T. 160 GB, 5400 rpm, SATA, 2.5 -inch S.M.A.R.T. 120 GB, 5400 rpm, SATA, 2.5 -inch S.M.A.R.T.
Hard disk notes	ShockSensor for HDD shock protection One Gigabyte equals one billion bytes, when referring to hard disk drive capacity Accessible capacity may vary, also depending on used software and tool
WLAN (optional)	Atheros Minicard b/g 802.11 b/g Intel® Wireless WiFi Link 5300 AGN 11/13ch
Base unit	LIFEBOOK T1010, 13,3 WXGA
General system information	
Chipset	Intel® GM45, ICH 9-M
BIOS features	BIOS Flash EPROM BIOS based on Phoenix TrustedCore Notebook
Memory slots	2 DIMM
Supported capacity RAM (max.)	8 GB
Interfaces	
DC-in	1
Audio: line-in / microphone	1
Audio: line-out /headphone	1
Internal microphones	2
USB 2.0 total	3
VGA	1
LAN / Ethernet RJ-45	1
Docking connector for Port Replicator	1
Kensington Lock support	2
Memory card slots	1 (SD)
ExpressCard slots	1
Wired communication	
LAN	Built-in 10/100/1000 MBit/s Marvell 88E8055
Wireless technologies	
Antennas	3 Dual band WLAN antennas, 1 Bluetooth
WLAN notes	Import and usage according to country-specific regulations.
UMTS	made4you
Keyboard and pointing devices	
	85 keys, 19mm pitch, 2.7mm stroke TouchPad with two mouse buttons and one scroll button Application buttons Status LED Touch-screen Tablet Pen Digitizer
Multimedia	
Audio type	On board
Audio codec	Realtek ALC269
Audio features	Stereo speakers, 2 internal microphones
Camera	Built-in ConfCamera, 1.3 megapixel, VGA camera
Graphics	
Display	13.3-inch TFT passive digitizer 1280 x 800 pixel (WXGA) indoor / outdoor
max. resolution external display	1920 x 1200 pixel
Graphics brand name	Mobile Intel® GMA 4500MHD
Graphic features	DualView (Windows XP & Windows Vista)
Power supply	
AC adapter	19 V / 80 W (4.22A)
1st battery	1st Li-Ion battery 6-cell, 5200 mAh, 56.16 Wh
2nd battery	none, ,
Battery features	Dynamic charge supported (rapid charge)
Benchmark	Mobile Mark 2005
Runtime 1st battery	TBD h
Battery notes	Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage.
Dimensions / Weight / Environmental	
Operating ambient temperature	5 - 35 °C
Operating relative humidity	20 - 85 % (running)
Dimension without stand (W x D x H)	319 x 244 x 37 - 39 mm
Weight	2,3 kg

Dimensions / Weight / Environmental

Weight notes Weight may vary depending on actual configuration.

Operating system

Operating system optional preinstalled TwinLoad Microsoft® Windows® XP Tablet PC Edition 2005 (DVD)
Microsoft® Windows Vista® Business 32bit
Microsoft® Windows Vista® Home Premium

Operating system compatible Microsoft® Windows® XP Tablet PC Edition 2005

Operating system notes Driver support for Microsoft Windows XP

Additional Software

Additional software (preinstalled) Adobe Acrobat Reader
Application panel tool
Camera
Drivers & Utilities DVD (DUDVD)
Microsoft® Office (Trial)
Nero Essentials (burning software)
Norton Internet Security (incl. Firewall) on Drivers & Utilities DVD for Microsoft Windows XP
Toshiba Bluetooth Stack
EasyGuide online user documentation
Tablet Button Utility

Additional software (optional) Windows Vista® recovery media
Drivers & Utilities DVD (DUDVD)
DVD playback software

Manageability

Manageability features DeskUpdate Driver management
DeskView Migrate (optional)
DeskView Control (optional)

Manageability type DeskView 10.x client management including:

DeskView features On/Offline remote client management
Detailed system inventory management and reports
BIOS Management
Remote power management
System notifications
Security Remote Control
DeskView Helpdesk Integration
WoL (Wake on LAN)

Supported standards WMI
PXE
BootP (made4you)

Manageability link http://www.fujitsu-siemens.com/solutions/it_infrastructure_solutions/manageability/featurefinder.html

Security

Physical security Kensington Lock support

System security Symantec Norton Internet Security

User security User and supervisor BIOS password
Hard disk password

Compliance

Europe CE
CE!
CB

USA/Canada UL
cUL

All Microsoft Operating Systems (HCT / HCL entry / WHQL)
RoHS (Restriction of hazardous substances)
Wifi certified

Compliance link <https://sp.fujitsu-siemens.com/sites/certificates/default.aspx>

Portreplicator interfaces (optional)

		Portreplicator with AC Adapter and Cable Kit (UK)
DC-in	1	1
Power on switch	1	1
Audio: line-out	1	1
USB 2.0 total	4	4
VGA	1	1
DVI	1	1
HDMI	1	1
LAN / Ethernet RJ-45	1	1
Kensington Lock support	1	1

Information about environmental care, policies, programs and our Environmental guideline FSC03230:

<http://www.fujitsu-siemens.com/aboutus>

Take back and Recycling information:

<http://www.fujitsu-siemens.com/recycling>

All rights reserved, including intellectual property rights. Technical data subject to modifications and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded.

Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see http://www.fujitsu-siemens.com/terms_of_use.html

Copyright © Fujitsu Siemens Computers

Published by
Fujitsu Siemens Computers
<http://www.fujitsu-siemens.com/>